



## Soyabean / Sunflower Fatty Acids Product Datasheet

Item Number: 40-033

### Typical Analyses (May/June 2013)

Hydrocarbons as Mineral Oil (V VR-11-OSP 15)	% (m/m)	< 0,4
Free fatty acids, mol. weight 282 (ISO 660, cold solvent)	%	60,01
Moisture (Karl Fischer) (ISO 8534)	%	0,68
Impurities (ISO 663)	%	0,02

### Typical Fatty Acid Composition (May/June 2013)

C 14	Myristic Acid	%	0,1
C 16	Palmitic Acid	%	13,9
C 16:1	Palmitoleic Acid	%	0,1
C 17	Margaric Acid	%	0,1
C 17:1	Heptadecenoic Acid	%	0,1
C 18	Stearic Acid	%	4,8
C 18:1	Oleic Acid	%	25,3
C 18:2	Linoleic Acid	%	48,9
C 18:3	Linolenic Acid	%	4,7
C 20	Arachidic Acid	%	0,4
C 20:1	Gadoleic Acid	%	0,4
C 22	Behenic Acid	%	0,7
C 22:1	Erucic Acid	%	0,1
C 24	Lignoceric Acid	%	0,4

### Delivery

- Bulk in Road tankers
- Bulk in ISO tanks